

How To Lower Your Salt Intake



SALT AND YOUR BODY

Salt or sodium chloride, plays an important role in our bodies for proper health. Sodium helps balance body fluids and blood pressure. Most people eat much more sodium than the required amount.

DID YOU KNOW...

The more salt you add to your diet, the more fluid your body holds onto. Your heart muscle will then have to work harder to pump this added fluid. In some people it may increase blood pressure. People with elevated blood

WHEN THE LABEL STATES:

1. Sodium free
2. Very low sodium
3. Low sodium
4. Reduced sodium
5. No salt added

IT MEANS:

1. Less than 5mg per serving
2. Less than 35mg per serving
3. Less than 140mg per serving
4. Has 25% less than regular product
5. No salt was added when made, but still contains sodium.

pressure, increase their risk for heart disease and stroke if not treated.

READ YOUR LABELS!

Most foods are labeled and must show how much sodium is in one serving. Pay attention when you see statements like "sodium free" and "low sodium" on the product. They do not

always mean what you think.

You should limit your daily salt/sodium intake to no more than 2,300 mg per day or the equivalent of nearly 1 tsp.



FOR MORE INFORMATION about cardiac health, call Care Management 1.800.414.6641 (TTY: 1.800.473.0989).

This managed health care plan may not cover all your health care expenses. Read your contract and/or member handbook carefully to determine which health care services are covered. If you need help reading this information, please call Unison at 1.800.414.9025. The information in this notice is available in other languages and formats by calling Member Services at 1.800.414.9025 (hearing-impaired: 711).

For more information, we are available Monday, Tuesday, Thursday and Friday from 8 a.m. to 5 p.m. and Wednesday 8 a.m. to 8 p.m. You can reach us at 1.800.414.9025 (hearing-impaired: 711). La información de este aviso está disponible en otros idiomas y formatos si llama a Servicios para Miembros al 1.800.414.9025 (711 para las personas con deficiencias auditivas). Si necesita ayuda para traducir esta información, por favor comuníquese con el departamento de Servicios a miembros del Unison al 1.800.414.9025 (711 para las personas con deficiencias auditivas).

ព័ត៌មាននេះមាននៅក្នុងភាសាខ្មែរ មានជូនជាភាសាខ្មែរផងដែរ និងក្នុងទម្រង់អូឌីយ៉ូ តាមរយៈការទូរស័ព្ទទៅខាងសេវាសមាជិករបស់យើង 1.800.414.9025 (ចំពោះអ្នកមានបញ្ហាខាងការស្តាប់សូមទូរស័ព្ទ: 711)។

此通知里的信息有其它语言及格式, 请致电 1.800.414.9025 (听力有障碍人员请转分机 711) 联系会员服务处索取。

Информацию, содержащуюся в данном извещении, можно получить на других языках и в иных форматах по телефону отдела обслуживания участников: 1.800.414.9025 (для лиц с нарушением слуха: 711).

Thông tin trong thông báo này có sẵn bằng các định dạng và thứ tiếng khác bằng cách gọi Dịch Vụ Thành Viên theo số 1.800.414.9025 (người khiếm thính: 711).

How To Lower Your Salt Intake

(Continued)



CARDIAC CARE

800.414.6641

AVOID FOODS THAT HAVE “SODIUM” NEAR OR AT THE TOP OF THE INGREDIENT LIST. WHEN READING FOOD LABELS, DON’T FORGET TO LOOK AT ALL OF THE INGREDIENTS.

1. Don't use salt during cooking or at the table.
2. Try using herbs and spices to flavor food.
3. Try to eat more fresh fruit and vegetables.
4. If using canned or frozen fruit and vegetables, drain any juice and then rinse with water before cooking. This removes half the salt.
5. Try raw nuts, seeds, beans and lentils. These are lower in salt than the canned version and higher in protein.
6. Take some time to read food labels in the grocery store.
7. Look for food labels that have a sodium content below 140mg per serving.
8. Look for unsalted, fat free broths and soups. Also low sodium, low fat cheeses and skim or low fat milk.
9. When eating out, avoid fast food restaurants. Don't be afraid to ask that your meal be prepared without salt. You're the customer, you're paying for a service.
10. When using salt substitutes, always check the label for potassium content, then check with your doctor before using.

If you have a water softener for your home drinking water, it may contain significant amounts of salt.

Some over-the-counter medicines (laxatives, cough medicines, antacids, baking soda) may have lots of sodium. **Always read labels and check with your doctor.**

